


Ni

NEUMEDIX PHARMACHEM LLP

MANUFACTURERS OF PHARMA INTERMEDIATES &
API



OUR FOOTPRINT IN INDIA MANUFACTURING & R&D SITES



Source: <https://www.google.com/maps/embed?>

Keyboard shortcuts Map data ©2024 Terms Report a map error

Web Viewer [Terms](#) | [Privacy & Cookies](#)

Edit

OVERVIEW OF THE SITE



SITE INFORMATION



- Nearest Airport : Mumbai Airport (107 Km)
- Nearest Railway Station : Boisar (6 Km)
- Distance Mumbai : 100 km
- Fire Station : Boisar (1 Km)
- Hospital : TIMA Hospital (4.8 Km)
- Police Station : MIDC (0.7 Km)
: Boisar (2.5 Km)

PRODUCTION BLOCK




QUALITY CONTROL

CHROMATOGRAPHY

- ❑ GCs With Auto Sampler. (Agilent – Make)

- ❑ HPLC's with auto sampler, isocratic, binary, quaternary gradient systems & PDA detector (Waters – Make)



RESEARCH & DEVELOPMENT

SERVICES AVAILABLE IN R & D FACILITIES

- Pilot plant 200L glass assembly
- Pilot plant 50L glass Assembly.



OUR POLICIES



- ❖ **QUALITY POLICY** to meet the quality as legendary.
- ❖ **EHS POLICY** to comply with applicable environmental, Health and Safety (EHS) Legislation And Statutory, Regulatory And Other requirement.
- ❖ **CUSTOMER POLICY** to meet the customer needs and satisfaction.

OBJECTIVE

- ❖ To manufacture API'S and its intermediates by meeting the quality and specifications of all products manufactured in the facility with a motto "**QUALITY FOR LIFE**" satisfy our valuable customers and end users.

PRODUCTS & IT'S INTERMEDIATES



1. Phenyl Hydrazine HCL
2. Piroxicam
3. Meloxicam
4. Isoxsuprine
5. Azithromycin
6. Artemether
7. Lumefantrine
8. Erythromycin Stearate
9. Erythromycin Estolate
10. Erythromycin Base
11. Loperamide
12. Omeprazole
13. Rosuvastatin
14. Ferric Pyro Phosphate
15. Dorzolamide
16. Gliclazide
17. Losartan Potassium
18. Telmisartan
19. Amlodipine Besylate
20. Terbutaline Sulphate
21. Salbutamol Sulphate
22. Vecuronium Bromide
23. Valsartan
24. Lidocaine
25. Celecoxib
26. Irbesartan
27. Bupropion
28. Fosphenytoin Sodium
29. Zoledronic Acid
30. Gemcitabine HCL
31. Methotrexate
32. Etoposide

EQUIPMENT LIST



SR.NO	DESCRIPTION	MOC	CAPACITY	QTY
1	SS REACTOR	SS316	5KL, 3KL, 0.5KL, 0.7KL	07 NOS
2	GLASS REACTOR	MSG	5KL, 3KL, 1KL	03 NOS
3	CENTRIFUGE	SS316/ MS HALAR	48", 36"	04 NOS
4	VTD	SS316	48 TRAYS	01 NOS
5	TRAY DRYER	SS316	48 TRAYS	01 NOS
6	FBD	SS316	200 KG	02 NOS
7	BOILER	MS	850 KG/ Hr	01 NOS
8	THERMOPAC	MS	4 LACKCAL/ Hr	01 NOS
9	COOLING TOWER	PP FRP	200TR	02 NOS
10	CHILLING PLANT	MS	40TR +5°C	01 NOS
11	BRINE PLANT	MS	20TR -20°C	01 NOS
12	SCRUBBER- 2 STAGE	PP FRP	500 CFM, 3m pack Height, 500m Dia	01 NOS
13	AIR COMPRESSOR	MS	100CFM @8BAR	01 NOS
14	SOFTENER	FRP	3 m3/Hr	01 NOS

EQUIPMENT LIST



SR.NO	DESCRIPTION	MOC	CAPACITY	QTY
15	HIGH VACCUM PUMP DOUBLE STAGE	CS	200Nm/Hr (1 torr) 10hp, 5hp	02 NOS
16	STEAM JET EJECTOR DOUBLE STAGE	SS316/GRAPHITE	40 m3/Hr	02 NOS
17	WATER JET EJECTOR	SS316/GRAPHITE	72 m3/Hr , 54 m3/Hr	02 NOS
18	OIL VACUUM PUMP	CI	5HP/10HP- 1 TORR	02 NOS
19	HOT WATER TANK	MS	5KL	01 NOS
20	ML TRANSFER PUMP	SS304	2m3/Hr	06 NOS
21	HOIST	MS	2 TON	01 NOS
22	ML STORAGE TANK	SS304	3KL/20KL	02 NOS
23	DIESEL GENERATOR	STANDARD	250KVA	01 NOS
24	FIRE HYDRANT SYSTEM	STANDARD	-	01 NOS
25	FULL FLEDGE ETP (LOW COD, HIGH COD)	STANDARD	-	01 NOS



INSTRUMENT LIST

SR.NO	INSTRUMENT DESCRIPTION	MAKE	QTY
1	GAS CHROMATOGRAPHY	AGILENT TECHNOLOGIES 6850	01 NOS
2	HPLC	WATERS ALLIANCE 2695	01 NOS
3	WEIGHING BALANCE	GOLDFIELD	01 NOS
4	MELTING POINT & BOILING POINT APPRATUS	PRO LAB INDIA	01 NOS
5	KARL FISHER	PRO LAB INDIA	01 NOS
6	ULTRA SONICATOR	PRO LAB INDIA	01 NOS
7	pH METER	PRO LAB INDIA	01 NOS
8	WATER BATH	PRO LAB INDIA	01 NOS
9	MAGNETIC STIRRER WITH HOT PLATE	REMI	01 NOS
10	UV CABINET	VISCO	01 NOS
11	HOT AIR OVEN	CLASSIC SCIENTIFIC	01 NOS
12	MUFFLE FURNANCE	VISCO	01 NOS
13	VACUUM OVEN	CLASSIC SCIENTIFIC	01 NOS
14	VACUUM PUMP	PRO LAB INDIA	01 NOS
15	ELECTRONIC WEIGHING BALANCE	PRECISA	01 NOS

MANPOWER



DEPARTMENT	MASTERS & ABOVE	GRADUATES	UNDER GRADUATES	TOTAL
QA	01	NIL	NIL	01
QC	01	02	NIL	03
R & D	02	02	NIL	04
PRODUCTION	03	05	06	14
WAREHOUSE & EXCISE	NIL	NIL	04	04
ACCOUNTS/COMMERCIAL	NIL	01	NIL	01
HR & ADMIN	NIL	01	NIL	01
MAINTENANCE/ENGG	01	03	03	07
TOTAL	08	14	13	35

ACCREDITATIONS



MPCB CONSENT TO OPERATE

ENVIRONMENTAL CLEARANCE

ISO

MAHARASHTRA POLLUTION CONTROL BOARD
 Tel: 24010706/24010437
 Fax: 24023516
 Website: <http://mpcb.gov.in>
 Email: ast@mpcb.gov.in

Kalpaturu Point, 2nd and 4th floor, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E), Mumbai-400022

RED/S.S.I (R22) Date: 26/12/2023
 No:- Format1.0/AS(T)/UAN
 No.0000183573/CO/2312002428

To,
 M/s.NEUMEDIX PHARMACHEM LLP
 PLOT NO. N- 46/3, MIDC TARAPUR INDUSTRIAL AREA
 Boisar Dist.PALGHAR.

Sub: Grant of First Consent to Operate under RED/SSI Category.

Ref: 1. Earlier consent accorded by the Board vide no.Format1.0/AS(T)/UAN No.0000145216/CE/2302000637 Dated 09/02/2023
 2. Environmental Clearance granted vide letter No. IA/MH/IND3/434381/2023 dated 15.11.2023

Your application No.MPCB-CONSENT-0000183573 Dated 08.10.2023
 For: grant of Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 and Rule 18(7) of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

- The consent to operate is granted for a period up to 30/11/2028
- The capital investment of the project is Rs.9.8485 Crs. (As per C.A Certificate submitted by industry)
- Consent is valid for the manufacture of:

Sr No	Product	Maximum Quantity	UOM
1	Phenyl hydrazine HCL	20	MT/M
2	Piroxicam	1	MT/M
3	Meloxicam	1	MT/M
4	Isoxsuprine HCL	1	MT/M
5	Azithromycin	2	MT/M
6	Aretemether	3	MT/M
7	Lumefantrine	5	MT/M
8	Erythromycin Stearate	1	MT/M
9	Erythromycin Esolate	1	MT/M
10	Erythromycin base	1	MT/M

File No: IA-J-11011/153/2023-IA-II(I)
 Government of India
 Ministry of Environment, Forest and Climate Change
 IA Division

सर्वकार्ये जयते

Date 15/11/2023

To,
 Jayantilal Mohanlal Jain
 NEUMEDIX PHARMACHEM LLP
 Plot No. N-46/3, MIDC Tarapur, Tal. Palghar, District Palghar, Maharashtra - 401506
 neumedixpharmachem2022@gmail.com

Subject: Proposed synthetic organic chemical intermediate manufacturing unit with the production capacity of 57.6 MT/Month located at Plot No. N-46/3, Tarapur MIDC, Tal. & Dist. Palghar, Maharashtra by M/s. Neumedix Pharmachem LLP. - Grant of prior Environmental Clearance (EC) to the proposed project under the provision of the EIA Notification 2006 -regarding.

Sir/Madam,

This is in reference to your application submitted to MoEF&CC vide proposal number IA/MH/IND3/434381/2023 dated 18/08/2023 for grant of prior Environmental Clearance (EC) to the proposed project under the provision of the EIA Notification 2006 and as amended thereof.

2. The particulars of the proposal are as below :

(i) EC Identification No. EC23A2412MH5416427N
 (ii) File No. IA-J-11011/153/2023-IA-II(I)
 (iii) Clearance Type Fresh EC
 (iv) Category A
 (v) Project/Activity Included Schedule No. 5(F) Synthetic organic chemicals industry
 (vi) Sector Industrial Projects - 3
 Proposed Synthetic Organic Chemical Manufacturing Unit by "M/s. Neumedix Pharmachem LLP" at Plot No. N-46/3, Tarapur MIDC, Tal. & Dist. Palghar, Maharashtra 401506
 (vii) Name of Project NEUMEDIX PHARMACHEM LLP
 (viii) Name of Company/Organization PALGHAR, MAHARASHTRA
 (ix) Location of Project (District, State) MoEF&CC
 (x) Issuing Authority No
 (xi) Applicability of General Conditions as per EIA Notification, 2006

Certificate of Registration

This is to Certify That
 Quality Management System of

NEUMEDIX PHARMACHEM LLP

TARAPUR MIDC, PLOT NO. N 46 / 3, TARAPUR MIDC, NEXT TO GALAXY ORGANICS, TARAPUR MIDC, BOISAR, PALGHAR, 401506, MAHARASHTRA, INDIA

has been assessed and found to conform to the requirements of
ISO 9001:2015
 for the following scope :

MANUFACTURER OF PHARMACEUTICALS INTERMEDIATES & VARIOUS TYPES OF PHARMACEUTICALS PRODUCTS.

Certificate No : 23EQOH17
 Initial Registration Date : 05/10/2023 Issuance Date : 05/10/2023
 Date of Expiry : 04/10/2026
 1st Surve. Due : 05/09/2024 2nd Surve. Due : 05/09/2025

ISO 9001:2015

Director
 Magnitude Management Services Pvt. Ltd.

Third Floor, A-60, Sector-2, Noida, Gautam Buddha Nagar, U.P.-201301, India. e-mail: info@mmsservices.com, website: www.mmsservices.com
 *Subject to successful surveillance audits in case surveillance audits is not allowed to be conducted, this certificate shall be suspended/withdrawn.
 Certificate Validity: Please be check the validity of certificate at <http://www.mmsservices.com> or www.iso9001certification.com or www.iso9001certification.com at India Client.
 Certificate is the property of Magnitude Management Services Pvt. Ltd. and shall be returned immediately when demanded.

ACCREDITATIONS



FIRE NOC

DFOMMR-17/4/2023-DFO-MMR

1/32861/2023

MAHARASHTRA INDUSTRIAL DEVELOPMENT CORPORATION
(A Government of Maharashtra Undertaking)

HEAD OFFICE : "UdyogSarthi", Mahakali Caves Road, Andheri (E), Mumbai - 400 093.
Tele: (022) 26870052/54/27/73 Fax : (022) 26871587

PRINCIPAL OFFICE: 4,4 (A), 12th Floor, World Trade Centre, Complex-1, Cuffe Parade, Mumbai - 400 005
Tele : (022) 22151451/52/53 Fax : (022) 22188203

Date: 23/12/2023.

M/s. Neumedix Pharmachem LLP.
Plot No. N-46/3, MIDC,
Tarapur Indl. Area
Dist; Palghar.

Sub: Grant of "Final No Objection Certificate" for your proposed factory building on Plot No: N-46/3, MIDC, Tarapur Indl. Area, Dist - Palghar.

Ref.:- 1. This Office Provi NOC No. Fire/A-64843 Dt.21/02/2023.
2. Your application vide No: SWC/4/25/20231206/947801.

Dear Sir,

With reference to the above, a representative of this office visited your Factory to the above-mentioned address for inspection of fire fighting arrangements provided by you. Since the fire fighting arrangements provided by you were found in satisfactory working condition & you have submitted form "A" issued by license agency registered under the provision of The Maharashtra Fire Prevention and Life Safety Measures Act, 2006, this office is issuing a "Final No-Objection Certificate" for your following structures built up area. The details built up area are under:

The Plot area of said Co. is 2062.00 Sq. M. and Existing built up area is 676.97 Sqm, and the proposed built up area is 289.88 Sq.M. The height of tallest proposed building is 13.600 Mtrs. The details of the proposed construction are as under;

Floor Name	Proposed FSI Area Inc.	Stair	Lift
Second Floor...	159.98	35.85	0.00
First Floor...	129.55	35.85	4.41
Ground Floor...	1.35	35.85	4.41
Total :	289.88	107.55	8.82

• The occupant load in above building should not exceed in any case as prescribe in Table -3 National Building code 2016, part IV.
As per the provision of section 3 of Maharashtra Fire Prevention and Life safety Measures Act 2006, it is the sole responsibility owner of occupier as the case may be, that he /she shall furnish to Chief Fire Officer & Fire Adviser MIDC or Local Fire Station Officer a certificate in 'Form B' issued by License Agency twice a year in the month of January and July regarding maintenance of fire prevention and life safety measures and system in good repair and efficient working condition.
Following Statutory Provisions under Maharashtra Fire Prevention and Life Safety Measures Act, 2006:

- Under Section 3** of "Maharashtra Fire Prevention and Life Safety Measures Act, 2006" (hereinafter referred to as "said Act"). The applicant (developer, owner, occupier by whatever name called) shall comply with all the Fire and Life Safety measures adhering to National Building Code of India, 2016 and as amended from time to time failing which it shall be treated as a violation of the said Act.
- It is presumed that you have completed the work adhering to the provisions under **Section-3** of the said Act.

1

FDA

FORM 20B
(See rule 61(1))
Licence to sell, stock or exhibit (or offer) for sale or distribute by wholesale, drugs other than those specified in [Schedules C, C (1) and X]

PARTNER(S) OF NEUMEDIX PHARMACHEM LLP

is hereby licensed to sell, stock, or exhibit (or offer) for sale, or distribute by wholesale drugs other than those specified in [Schedules C, C(1) and X] on the premises situated at
Room No.102, Plot No. N-46/3, First Floor, MIDC Tarapur Industrial Estate, Boisar, Dist. Palghar
Tal : MIDC TARAPUR BOISAR (PALGHAR ZONE 3)
Pin : 401501 Phone: 8087208188 Mobile: 8600447454

subject to the conditions specified below and to the provisions of the Drugs and Cosmetics Act, 1940 and the Rules thereunder.

2. The licence unless sooner suspended or cancelled, shall remain valid perpetually. However, the compliance with the conditions of licence and the provisions of the Drugs and Cosmetics Act, 1940(23 of 1940) and the Drugs and Cosmetics Rules, 1945 shall be assessed not less than once in three years or as needed as per risk based approach.
The licence shall be in force from : **20.Sep-2023** to **19.Sep-2028** ** Area : **11.84 SqMts**
3.The sale shall be made under the personal supervision of a competent person :

CP-RAMDHANI RAMKISHOR YADAV(MISC.)

4.Categories of Drugs : **Drugs covered under the license**

e-Signed on 20/09/2023 17:56:43
TPAV_#88DIH9691E

NARENDRA PURISHOTTAM SURE
Licensing Authority & Assistant Commissioner
Food & Drugs Administration, PALGHAR ZONE 3

Conditions of Licence

- This licence shall be displayed in a prominent place in a part of the premises open to the public.
- The Licensee shall comply with the provisions of the Drugs and Cosmetics Act, 1940 and the Rules thereunder for the time being in force.
- (i) No drug shall be sold unless such drug is purchased under a cash or credit memo from a duly licensed dealer or a duly licensed manufacturer.
(ii) No sale of any drug shall be made to a person not holding the requisite licence to sell, stock or exhibit for sale or distribute the drug. Provided that the condition shall not apply to the sale of any drug to—
(a) an officer or authority purporting on behalf of Government,
(b) a hospital, medical, educational or research institution or a registered medical practitioner for the purpose of supply to his patients; or
(c) a manufacturer of beverages, confectionaries biscuits and other non-medical products, where such drugs are required for processing these products;
- Omitted.
- The licensee shall inform the Licensing Authority in writing in the event of any change in the constitution of the firm operating under the licence. Where any change in the constitution of the firm takes place, the current licence shall be deemed to be valid for a maximum period of three months from the date on which the change take place unless, in the meantime, a fresh licence has been taken from the Licensing authority in the name of the firm with the changed constitution.

** The Licensee shall not Claim any equities or rights in the property under reference on strength of this licence.
** This Licence shall remain valid if licensee deposits a licence retention fee before the expiry of a period of every succeeding five years from the date of its issue unless, it is suspended or cancelled by Licensing Authority.

Note: Prev Dts - 250285-NEUMEDIX PHARMACHEM LLP-Ram Dhani Yadav-Building No. 2, Plot No. N-46/3-MIDC Tarapur-Boisar, Dist. Palghar-401501-Ltd. Liability Partnership-Area [sq. mt]-110.00

This Licence/Certificate is eSIGNED. Physical Signature is NOT Required.

District	FDA File No	Type/Fresh Licence	Form [20B] Licence No	Old LIC No
PALGHAR ZONE 3	250288	PRE--1219157-24/08/2023	MH-PL3-533735	-

For online Third Party Approval Verification: Go to slnindia.gov.in & Click TPAV button. 20/09/23 N I C

(A) PERSONNEL HYGIENE

- All Employees in the factory practice good sanitation habits.
- Direct contact with intermediates & final products is avoided.
- Smoking, eating, drinking, chewing & the storage of foods are not allowed in manufacturing area.
- Persons suffering from infectious disease are not allowed in manufacturing area.

(A) LIGHTING

- Adequate lighting is provided in all areas.

(B) MAINTENANCE & SANITATION

- Regular Cleaning of manufacturing areas is done.

(C) CALIBRATION

- All Weighing balances, critical measuring & testing equipments are calibrated regularly as per schedule & records are maintained.



**PLOT NO. N-46/3, NEXT TO GALAXY ORGANICS, MIDC,
TARAPUR BOISAR, MAHARASHTRA , INDIA-401 506**



www.neumedixpharma.com

www.neumedixpharma.com/brochure



THANK YOU



**moin@neumedixpharma.com
directors@neumedixpharma.com**



+91 8087208188